

Clean lines are evident in this shot. Eyelash combines the inherent low drag of a mid-wing design with high power output of the TD .049.

EYELASH

By ART SCHROEDER

Tiny R/C Pattern ship powered by the fabulous Cox TD .049 has a great deal to offer Expert and Sport flyer alike. With Eyelash, you will find low cost, easy building, plus explosive Pattern ability.

• In this day of accelerating costs, R/Cers have been looking for ways to reduce their hobby expenditures while still having maximum fun and relaxation. This has led to greater numbers of 15-to 40-size aircraft being flown at sport fields across the country. But why stop there? If material and fuel costs can be lowered by reducing aircraft and engine size, and with fuel prices now up to \$8.00 per gal. an .049 powered plane should be ideal.

Simply stated, the .049 engine is great, but it is only useful for putting around the

sky with a high wing trainer—right? Well, friend, such a statement couldn't be more wrong—the .049 can handle any maneuver a 60-powered monster can muster and costs 10% or less to run than the big birds. Tom Runge and Owen Kampen clearly demonstrated this when they did early experimental work with the Pacer and Mach None, now kitted by Ace.

These gentlemen proved that, when coupled with the proper airframe and modern sub-miniature radio equipment, the TD .049 is capable of tremendously high

performance levels. Eyelash is cut from that bolt of cloth and further proves the original design concepts of Kampen/Runge as essayed last year in *American Modeler* magazine. This time, however, in a true mid-wing design.

Eyelash has proven itself capable of doing most maneuvers that an aileron/elevator equipped airplane can do, and when rudder is thrown in, the entire FAI pattern is possible. Moreover, when wind levels are low and with the right hand on the stick, these maneuvers can be of competition quality. Even with that performance potential the aircraft is very stable and not at all difficult to fly, but it is fast and not recommended for beginners. The construction is deceptively simple, no more than for any small trainer, but this doesn't mean that you end up with trainer performance—it's a handful!

At first glance, Eyelash looks like a shrink job of this author's original Eyeball (M.A.N., August, 1968). Except for the mid-wing configuration we've retained, that is not the case. Proportionally the Eyelash has a longer tail and nose moment, its fuselage is considerably thinned in lateral

(Continued on page 52)

EYELASH . . . CONTINUED


area and its wing is totally different. The little plane is more closely aligned with Migi-Ball, our 40-version Eyeball (M.A.N., August, 1972).

The mid-wing configuration is the lowest drag setup we know of, and the plane flies essentially the same, upright or inverted, which reduces the need for elevator corrections in rolling maneuvers and while inverted. Mid-wing style also makes hand launching simple, since you just grasp it under the wing and toss. With the wing well above ground level, skid landings on grass never damage the soft foam wings.


Eyelash's fine flying capability stems directly from Ace's fine foam wing sections. We at first wondered about the semisymmetrical airfoil, but this has caused no problems, and we now wonder if this kind of airfoil is not superior to the more common, fully symmetrical foils found on Pattern aircraft today.

Building Eyelash is simplicity itself. Order a set of Ace's tapered wing sections and one straight wing panel, a couple of sheets of hard 1/8" sheet for fuselage sides and fin, some \%" triangular stock, a 3/16" x 3" piece of medium balsa for stabilizer, \%" x 1/4" spruce trailing edge stock and some 1" tapered stock for ailerons and elevator. A bit of soft balsa block completes the needed material. We designed, drew lines, cut parts and built the first Eyelash in three evenings, with much of the credit going to the new cyanoacrylate glues (Hot Stuff, Zap) that make joints an instant proposition.

The plans should be self-explanatory for all except the newest R/Cer, and if you're that new to the sport, don't tackle Eyelash. To repeat, while this mini-machine is not hard to build or fly, it is fast! Unless you have a good solid flying background, you could find yourself in trouble faster than



Ship is completely covered with heat shrink plastic materials for light, colorful finish.





Editor's big feet are good for something, including protecting wing tips. RS equipment.

you can bat an eyelash (oops!).

Kit the plane by cutting out all parts prior to any assembly. This speeds things up. At the same time, prepare the foam wing sections according to the plans. What you want is a straight trailing edge with all sweep in the leading edge. Glue the three sections together keeping all taper on the under surface; of course, the top surface will then be flat. For this reason it's easier to join the sections upside down on a flat surface. All foam joints are made with epoxy. Glue on the 1/8" x 1/4" spruce trailing edge and the soft balsa tips and, except for sanding and shaping, this part is done.


Servo hole is cut through and a ply floor added to support the servo; servo tape handles mounting. Use care in setting up the front dowel pins and the rear screw holddown. Key point here is to get the threaded maple block in the fuselage securely glued in place. It's the one wood joint where we used epoxy.

A few wood construction suggestions are

in order. Be sure to fit corner stringers at any point at which the aircraft is to be rounded with sandpaper. Eyelash need not look like a box-smooth flowing lines can result with proper sanding and a bit of filler material. We use acrylic spackling for filler since it is light, sands easily and is easy to apply.

Basic fuselage is built in hand by placing formers 2 and 3 in place, eyeballing it (oops. again!) and then "Hot Stuffing" or "Zapping" the formers in place. Draw the nose together against former 1, check for accuracy and use more instant glue. Draw the tail together—same deal. Then fit the corner stringers in place; 1/8" square every place except the space at the bottom between formers 1 and 2-here, 3/8" triangular stock is used. The wing saddle doubler is set in place, rear top side pieces, front side pieces, stabilizer and fin, top and bottom sheeting. Without exaggeration, the basic fuselage can be built in 15 minutes. The

(Continued on page 84)



M.A.N. SUPER FULL SIZE PLANS

EXCITING ENGINEERING DRAWINGS OF THE BEST IN MODEL AIRCRAFT, BOATS AND CARS

For all orders outside the U.S., add 50¢. If you prefer your plans shipped in a mailing tube, please add 70¢. NOTE: All plans shipped outside the U.S. are folded. No refunds or exchanges on orders.

PLANS IN THIS ISSUE -

PLANS IN THIS ISSUE #240 PIERCE DUCKIE 1/76 Record holding R/C glider for soaring and thermal hunting alike. 2-page plans, \$7.50.

#241 PUSHY SNO SLED 1/76 Something for your winter sports, a fine snowmbile that does it all. Eng. 35/40; plan. \$3.00.

#242 EYELASH 1/76

Excellent, small takeoff of the famous Eyeball by M.A.N.'s editor continues trend to the fine, small planes for .049 power Plan, \$3.00.

Another Langdon Halls special. Two 30" x 30" plates of his Edel-weiss Siren C-30 glider. \$1.50 per plate.

SPECIAL Four 30 x 40" plates of Lang-don Halls Commonwealth CA-15 Fighter (see Feb. & March. 74 issues) available at \$1,50 per plate.

FAMOUS F/F AND R/C SCALE PLANS REISSUED

Chet Lanzo's Stand-off Scale version of WWI fighter first published Dec., 1955. R/C machine for .15 size engines. \$4.50.

#223 PORTERFIELD COLLEGIATE 6/60

Walt Mooney's excellent Free Flight Scale of beautiful lightplane of the '40s, originally published June, 1960. .020 eng. \$2.00.

#202 F105F THUNDERCHIEF 1/75 Another famous fighter in profile, this time for control line .049 eng. \$1.50.

#203 KING FOO Small, full house R/C plane for pattern and sport flying. Can do all the things big ones do with only .25 engine. \$3.00.

#204 DANCING GIRL 2/75 Superb Control Line biplane for full stunt program. Fine history of performance. Eng. 35/45 size. Plans only \$4.00.

#205 STARSTREAM 2/75 FAI design winning A/1 glider for begin ner and contest man alike. Plan, \$3.00.

#206 GULF COASTER 2/75 Soaring and thermaling glider that has established, outstanding contest record in Texas and other areas. Plan. \$4.50.

#207 MOONRAKER 3/75
FAI Power ship with winning history and record of top performance. .15 Eng.

#208 GATOR FLEA 3/75 Smaller version of the National Champion's famous Compensator; still another winner for Rhett Miller, III. Eng. 40 size. Plans only \$3.50.

#209 MODS TO GALLOPING
JOHN 3/75
Updating of famous old Biplane from back in the days of Galloping Ghost.
15/35 eng. Plans, \$3.50.

#210 SWEET LENANI 4/75
1/2 A Speed for beginning racer or the expert—will win for you. .049 eng., \$1.00.

#214 THE BIG "D" 5/75
Nats-winning, Indoor Class D stick, hi-aspect plane is a real winner. \$3.25.

#215 P-61 MUSTANG STUNTER 5/75 Exciting, semi-scale, control line stunter that can go the whole way. .35 eng. \$4.00.

#216 PREVENTOR 5/75
Twin Engine, COIN-type, pattern machine that is exciting just to look at .40 eng. Two fine, large engineering drawings. \$9.00.

#217 THE TUTOR 6/75
Sturdy, very functional FIC multi trainer for beginner and fun man alike. 60 eng. \$4.50

#218 HOTROK 6/75

FAI team racer developed to make a winner of almost anyone who tries the event. 15 eng. \$3.00.

#219 PENNY FROM HEAVEN 6/75 Excellent Indoor plane for the Pennyp-lane event—rubber powered free flight.

#220 1/2A NEMESIS 7/75 Exciting, small Control Line Combat ship for practice and training. .049 engine. \$1.75.

#221 COMPTAUR 7/75 Fabulous replay and update of the famous Taurus that helped Pattern really take off. .60 eng. \$4.50.

#224 PAZMANY PL-4 8/75 Exciting, little scale Control Liner of famous EAA homebuilt, .049 eng. \$1.50.

#225 CANNED HEAT 8/75 Jetex powered Free Flight that was selected for '75 Top Ten by the NFFS.

#226 LITTLE TOOT Magnificent Scale biplane of famous aerobatic machine, 2 large plans. \$8.00.

#228 P-SHOOTER 9/75
Excellent Control Profile scale of a famous Goodyear racer; fine for Goodyear event .15 eng.

#229 BEDE BD-5 9/75

Fine semi-scale of the famous Bede pusher home built aircraft—fun machine .049 eng.

#230 POLISH CSS-11 9/75 Exciting Stand-off scale of Polish aerobatic plane in the traditional Zlinn/Chipmink style, .60 eng., 2 plates. \$8.50.

#231 RYAN M-1 10/75 Exciting Control Line scale of famous Golden Era that helped make history. Will make equally exciting R/C. 60 eng., 2 plates. \$9.50. #232 The Saturn 10/75 R/C Pattern at its very best. Canadian National Champ and other outstanding wins, including 5th at Las Vegas T, of C. 60 eng. \$5.00.

#233 SOPWITH

CAMEL 11/75
Fine Control Line Stand-off
Scale Plane of famous WWI fighter, 19 eng. Plans, \$3.75.

#234 BABY ACE 11/75 Excellent Scale R/C of most popular home-built aircraft to date. Fine flyer. 60 eng., 2 plates, \$9.50.

#235 M.A.N. TRAINER 40 11/75 The R(C trainer everyone has

been waiting for, designed by famous Pattern man it will do it all, .40 eng. Plans, \$4.00.

#236 (REISSUE) PROPJET B47 Fine C/L Scale that is ideal for R/C conversion, two .15 eng., \$5.00.

#237 CONDOR 12/75

1975 Nats Profile Carrier winner. Plane is simple to construct, features a foam wing and uses any plain bearing 35 engine. \$3.75.

#238 STEPHENS AKRO 12/75 R/C Sport Scale model of famed homebuilt. Ship could be modified for U/C as well, suitable for 60 engines, the Akro should really garner those

static points. \$5.00. #239 MINNOW 12/75

Quarter Midget racing plane that combines good looks and top speed poten-tial. Greg Doe design helped Tom Baker place #1 at '74 Nats and 2nd in 1975. \$4.00.

MODEL AIRPLANE NEWS. ONE NORTH BROADWAY, WHITE PLAINS, NEW YORK 10601

now anywhere from a week to a month. Our opinion is that balsa will be tight for some time to come, and modelers are urged to plan ahead and keep their inventories as complete as possible.'

The above article by Ed Manulkin, old time modeler and president of Sterling Models, is reprinted from Model Airplane and Boat Industry Newsletter, September, 1974.

EYELASH

(Continued from page 52)

canopy/hatch arrangement is as simple to build as can be.

The foam wings must be covered with Solarfilm. Basic reason is, of course, the much lower heat needed for application of this material. Fuselage, tail surfaces and control surfaces can be covered with MonoKote or Solarfilm. Although paint can also be used on wood surfaces (but not on the foam), we haven't seen a decent paint job that can compete with the lightness of the heat shrink materials.

Plans specify a length of 1½" fiberglass packaging tape (three ½"-wide lengths can be substituted) applied full span on top and bottom surface of the wing before covering with Solarfilm. Don't omit the tape; the wing's ability to withstand maneuvers depends on it. It is possible to cut a 3/16" channel top and bottom of the wing to carry 3/16" spruce spars full span. Such spars should be placed above and below the wing's thickest root point.

If spars are used, the wings can be covered with bond paper, applied as balsa wing skins are on larger aircraft. The spar would also be 2 or 3 oz. heavier. If spars are used, the fiberglass tape is not needed. Make no mistake, the tape may not be as nice looking, but it does the job. In a full season of hard flying, our wing has handled everything we could throw at it.

We suggest strips of polyethylene material for





Highest quality vinyl "saddle" covered deluxe binder capable of holding 12 issues of Model Airplane News. Designed to open flat for quick,

easy reference to any issue needed. Affords absolute protection.

ONLY \$4.75 each — 3 for \$11.00

MODEL AIRPLANE NEWS . ONE N. BROADWAY WHITE PLAINS, NEW YORK 10601

SEND ME	. BINDER(s) —	PAYMENT	ENCLOSED.
NAME			
ADDRESS			

CITY, STATE, ZIP.

BINDERS SHIPPED POSTPAID N.Y. residents add 5% state plus local sales tax





- Does Every Thing Standard Model Can Do PLUS:
- Precisely Measures And Sands Dihedral Angle Into Foam Or Built
- Up Wings Work Capacity 3" Thick x 14,5" Long



STANDARD MITER SANDER

- Sands Bevel Angles To 50° In Balsa, Styrofoam, Pine, Etc Work Capacity 1.5" Thick x11" Long Precisely Square Up Blocks, Strips, Etc. Reversable Sanding Block Uses 2 Grit Sizes For Rough & Finish Operation All Parts Pre-cut For Easy Assembly Complete Hardware & Pre-assembled Slider Track
- Slider Track

We Accept CO.D. Orders, Checks
Add \$1.50 for post, & handling
N.Y. residents add sales tax

CRAFT PRODUCTS 19 FLORGATE RD. FARMINGDALE N.Y. 11735

hinges. Rudder should be hinged whether you use it as a control or not-it's effective for trimming. Servos should be mounted with servo tape. Receiver and battery pack should be wrapped with a minimum of 1/4" foam.

The skid is not necessary if you fly from grass

fields, but should be installed for flights over hard surfaces. The original was only flown from grass, and no damage ever resulted from belly landings. A landing gear in a lightweight block arrangement (similar to typical fixed gear attachment on large Pattern birds) is possible, but this ups weight and cuts performance somewhat. We believe Eyelash will fly well at anything under 26 oz. but the closer to 20 oz., the better.

The original weighed 22 oz. with three servos

and a 225 mah battery pack. A two servo setup, aileron and elevator, give plenty of action, but the rudder is well worth the effort since full Pattern capability results. Use straight 1/16" music wire for rudder and elevator push rods. We found no need for internal support on these rods

need for internal support on these rods.

When setting aileron throw, avoid more "down" than "up." The plane rolls best when both ailerons displace the same on each side, i.e., equal "up" and "down." If differential is used, make sure it's positive—more "up" than "down." Total throw is about ½" "up" and slightly more "down"; the airplane is not quite as responsive to "down." Rudder throw should be all you can get. CG position is approximately 2½" from the wing leading edge—some experimentation with this leading edge-some experimentation with this point will trim Eyelash to your taste. CG location is not overly critical, but don't go more than 1/2" back of the suggested point.

When your plane is finished, set everything at

zero - zero. Run your TD .049 on Fox 40-40 fuel; the engine performs well on this fuel. Tank should have a very flexible pickup tube, because over the short distance available in a 1-or 2-oz. tank, movement of the pickup is difficult. The original used a 1-oz. tank, and this was plenty of fuel for 6 to 7 minute flights. A 2-oz. tank can be squeezed in. By the way, pressure is a great idea, but not absolutely necessary. Super performance can be gained by picking up one of Dale Kirn's modified TD .049's or .051's.

When you get Eyelash out to the local field, we guarantee you're in for a treat. Most people who

watch the performance of the plane won't believe that you have that small engine for power, it just doesn't seem possible. Their amazement will become your amusement, and it's all going to be

at low cost!

ROUND AND ROUND

(Continued from page 26)

amining Dick Perry's 4th place flight. Dick had a 519 with a missed landing. Had his hook caught. the record would be 619.

The Racing events saw the best in the Midwest. Gary Fentress won Rat with a 4:58.3, John Ballard took Goodyear with 6:23.0 and Sport



Just as tough as ever (100 X stronger than silk) . . . but 33-1/3% lighter. That means it weighs less than silk when both are painted. What's more, it costs less than silk because it takes half as many coats of paint. It is also far easier to apply. All you do is iron it on, shrink it drum tight and wrinkle free adhesive and filler coats are built-in. It takes only 29 minutes to cover a 60" wing, while silk requires 65 minutes. Look for new

lightweight Super Coverite on your dealer's shelf. It comes in 2 sizes only: 38" x 46" or 15 foot rolls. Try it - the difference will

COVERITE

be obvious.