

Tap size	Diameter (in)	Thread count (TPI)
#0-80	0.0600	80
M1.6x0.2	0.0630	~127
M1.6x0.35	0.0630	~73
M1.8x0.2	0.0709	~127
M1.8x0.35	0.0709	~73
#1-64	0.0730	64
#1-72	0.0730	72
M2x0.25	0.0787	~102
M2x0.4	0.0787	~64
#2-56	0.0860	56
#2-64	0.0860	64
M2.2x0.25	0.0866	~102
M2.2x0.45	0.0866	~57
M2.5x0.35	0.0984	~73
M2.5x0.45	0.0984	~57
#3-48	0.0990	48
#3-56	0.0990	56
#4-40	0.1120	40
#4-48	0.1120	48
M3x0.35	0.1181	~73
M3x0.5	0.1181	~51
#5-40	0.1250	40
#5-44	0.1250	44
M3.5x0.35	0.1378	~73
M3.5x0.6	0.1378	~43
#6-32	0.1380	32
#6-40	0.1380	40
M4x0.35	0.1575	~73
M4x0.5	0.1575	~51
M4x0.7	0.1575	~37
#8-32	0.1640	32
#8-36	0.1640	36
M4.5x0.5	0.1772	~51

M4.5x0.75	0.1772	~34
#10-32	0.1900	32
#10-24	0.1900	24
M5x0.5	0.1969	~51
M5x0.8	0.1969	~32
#12-24	0.2160	24
#12-28	0.2160	28
M5.5x0.5	0.2165	~51
M6x0.5	0.2362	~51
M6x0.75	0.2362	~34
M6x1	0.2362	~26
1/4-20	0.2500	20
1/4-28	0.2500	28
M7x0.75	0.2756	~34
M7x1	0.2756	~26
5/16-18	0.3125	18
5/16-24	0.3125	24
M8x0.5	0.3150	~51
M8x0.75	0.3150	~34
M8x1	0.3150	~26
M8x1.25	0.3150	~21
M9x0.75	0.3543	~34
M9x1	0.3543	~26
M9x1.25	0.3543	~21
3/8-24	0.3750	24
3/8-16	0.3750	16
M10x0.75	0.3937	~34
M10x1.5	0.3937	~17
M10x1.25	0.3937	~21
M10x1	0.3937	~26
M11x0.75	0.4331	~34
M11x1	0.4331	~26
M11x1.5	0.4331	~17
7/16-14	0.4375	14
7/16-20	0.4375	20

M12x1.5	0.4724	~17
M12x1.75	0.4724	~15
M12x0.75	0.4724	~34
M12x1	0.4724	~26
M12x1.25	0.4724	~21
1/2-20	0.5000	20
1/2-13	0.5000	13